Lo-Carbon Sentinel Kinetic Advance

- Touch screen controller
- Lightweight for easier installation
- Full summer bypass
- Wi-Fi connectivity option
- Wireless commissioning
- Pre-commissioning via USB
- App control option
- Left/Right handing through the controller
- Pre-heater option for cold climates
- Post-heater control option
- Developed and manufactured in the UK
- ISO ePM 10 and ePM2.5 filter options
- Acoustic Enclosure option for reduced breakout noise
- Acoustic Top Box option for reduced in-duct noise







The award winning Sentinel Kinetic® Advance from Vent-Axia is the next generation of heat recovery ventilation systems. It is designed to offer the highest level of comfort and control available ensuring the best possible customer experience.

A whole new experience

The highly sculpted interior surfaces, designed using the latest CFD techniques, ensures airflows are maximised through the unit, minimising noise and energy use. This feature alone provides an experience which we are confident will delight home owners and fulfil our ambition of providing the most discrete and efficient ventilation available.

With the widest range of options available, installers can now order a system that is tailored to their client's needs.

Air Quality and Health

We have strived to make the Advance system the most flexible solution available on the market. Optimisation has been targeted in every aspect of the design to ensure that it really does improve quality of life. Whatever the outside environment, we a have a method to help reduce air pollution from entering the living space. Our range of filter options, up to and including ePM2.5 (F7), ensures that even homes in heavily urbanised areas have the opportunity to filter out the impurities and help protect their family from respiratory issues.

Low noise levels

The most common concern with home owners is that ventilation devices create noise. With Advance, absolute optimisation of every element does everything possible to minimise generation and transmission of both motor and airflow noise. We believe that we have one of the quietest units available. The Sentinel Kinetic Advance Acoustic Solution is also available for scenarios where noise is critical; an Acoustic Enclosure will reduce breakout noise and the Top Box will reduce in-duct noise at key frequencies.

Ventilation how you want it

We have spent our time considering every element of the ventilation control. Should you want to run the system at certain times and at certain speeds, all of the options are available for you. With a programmable controller, it is possible to boost the unit if required, for example during hot periods in the summer, or even reduce the speed if needed, perhaps when a baby is due to go to bed. Whatever the situation, Advance can be made to operate as needed.

At the same time, automatic functions such as frost protection and summer bypass even have a choice of algorithms designed to suit different climates and lifestyles.

Controllability

With building services often hidden away in cupboards or in lofts we have developed a number of options for system control. From an App which provides instant access wherever you are, to full on-board touch screen controls, an option will be available to suit your needs.





Airtight Buildings

low energy buildings typically have very low leakage rates (below 3m³/(h.m²) at 50Pa). This reduces the effectiveness of the standard frost protection strategy which imbalances the airflows. For airtight buildings in cold climates it is advisable to use the Sp models with built-in pre-heater.

SEC Class

Model	SEC Class		
Advance S/SX	A+		



Model

Model	
Model	Stock Ref
Advance S	405215
Advance S with Acoustic Top Box & Enclosure	479550
Advance S with Acoustic Top Box	479549
Advance S with Acoustic Enclosure	479548
Advance SX	405216
Advance SX with Acoustic Top Box & Enclosure	479553
Advance SX with Acoustic Top Box	479552
Advance SX with Acoustic Enclosure	479551
Advance Sp LH	476808
Advance Sp RH	476809

Accessories

Model	Stock Ref
Wifi Controller	409195
Docking Kit for Wired Controller	474491
Volt-free Expansion (Four additional inputs)	472697
Switched Live Expansion (Two additional inputs)	472699
OV - 10V Input Board (Two inputs)	472701
Acoustic Purge Fan	477988

Spare Filters

Model	Stock Ref
ISO 45% Coarse (G3) (2 pack)	472667
ISO ePM 10 50% (M5) Pollen Filter (1 pack)	472669
ISO ePM2.5 70% (F7) (1 Pack)	472671


SAP PCDB Test Results

	SAP 2	2009	SAP 2012		
	Thermal		Thermal		
	Efficiency %	SFP (W/I/s)	Efficiency %	SFP (W/I/s)	
K+1	93	0.38	93	0.39	
K+2	93	0.38	92	0.46	
K+3	92	0.42	91	0.55	
K+4	92	0.50	91	0.70	
K+5	91	0.58	90	0.85	
K+6	91	86.0	89	1.07	
K+7	90	0.82	89	1.31	

Spigot Configuration

Insulated duct from atmosphere (Green) atmosphere (Brown)

Right Handed







Duct extract from dwelling (Yellow)



Left Handed

Insulated duct exhaust to atmosphere (Brown)

Insulated duct from atmosphere (Green)

Hand-able through controller (except if pre-heater fitted)

Model Range Overview

Models	Advance S	Advance SX	Advance S
Acoustic Enclosure	0	0	Х
Acoustic Top Box	0	О	X
Sentinel Touch Screen Controller	V	✓	✓
App Control	0	✓	0
App Commissioning	0	✓	0
Auto Summer Bypass	✓	✓	✓
Easy Access Filters	✓	✓	✓
ISO 45% Coarse (G3) Filter	✓	✓	✓
ISO ePM10 50%, ePM2.5 70% Filter Options	✓	✓	✓
Very Low Noise Levels	✓	✓	✓
Built-In Humidistat	✓	✓	✓
Active Frost Protection to -20°C	✓	✓	✓
Delay-On	✓	✓	✓
Clean Filter Indicator (Time)	✓	✓	✓
Clean Filter Indicator (Pressure)	Х	✓	χ
Fault Code Indicator	✓	✓	✓
Switched Live	V	✓	✓
Volt Free	✓	✓	✓
0V - 10V Proportional Control	0	0	0
Lightweight	✓	✓	✓
22mm or 32mm Condensate Connection	V	✓	✓
Left/Right Orientation Through Control	V	✓	✓
PIN Number Lock	√	✓	✓
Running Time Indicator	V	✓	✓
External Pre-Heater Controller	0	0	0
External Post-Heater Controller	0	0	0
Built-in Pre-Heater	Х	Х	✓
Enthalpy Heater Exchanger	0	0	0
Fan Curve Flow	✓	✓	✓
Constant Volume	Х	✓	Х
Email Status Notifications	Х	✓	Х
Soft-Start Boost	✓		✓
Mounting Options	Wall	Surface	

O - Optional extra. Contact us for more information.